

# Gesture Pilot

Dr. Anjali Singhal, Lakshya Rathi, Rudransh Agarwal, Akarsh Dubey

*Department of Computer Science and Engineering,  
Inderprastha Engineering College, UP, India*

© The Author(s), under exclusive license to publication division, IPEC Journal of Science & Technology, 2023

**Abstract:** The Human-Computer Interaction application discussed in this research paper focuses on cursor control using facial movements captured through a standard webcam. This innovative system operates without the need for any wearable hardware or sensors, relying solely on the analysis of the user's facial gestures. The core functionality revolves around predicting facial landmarks, particularly eye blinks and mouth movements, within a video stream. Various actions correspond to specific facial movements: opening the mouth activates or deactivates mouse control, winking the right eye triggers a right-click function, winking the left eye initiates a left-click action, squinting detects the activation or deactivation of scrolling, and head movements (pitch and yaw) control scrolling or cursor movement. The system relies on facial landmarks to derive features that enable the detection of these actions. For instance, eye aspect ratio (EAR) helps identify winks and blinks, while mouth aspect ratio (MAR) indicates whether the mouth is open or closed, essential triggers for mouse control. This model primarily focuses on analysing two main factors: Eye Aspect Ratio (EAR) for detecting winks and blinks, and Mouth Aspect Ratio (MAR) to determine the status of the mouth—whether it's open or closed. These ratios serve as crucial indicators for interpreting various facial gestures that, in turn, trigger specific mouse control actions.

**Keywords:** Human-Computer Interaction (HCI), Facial Movements, Cursor Control, Assistive Technology, Webcam-based Interaction, Disability Accessibility

## I. INTRODUCTION

In today's modern era, computer systems have become an indispensable part of our daily lives. Technological advancements have led to the creation of computers capable of performing a wide array of tasks, both basic and specialized.

However, many input devices like keyboards and mice pose significant challenges for individuals with physical disabilities, making their use difficult or even impossible. To address this issue, the development of assistive technologies, particularly Human-Computer Interaction (HCI) applications, becomes crucial. This research paper focuses on the creation of a robust HCI application tailored specifically for individuals with disabilities. This application utilizes directed cursor control and facial expression tracking technology, allowing users to control the cursor using facial expressions captured through a standard webcam. Notably, this technology doesn't require additional wearable hardware or sensors, ensuring accessibility for a wider user base. Compatible with both laptops and desktops, the application facilitates various operations, including cursor movement in multiple directions, click events, and scrolling events. At the heart of this system lies the prediction of facial landmarks derived from eye blinks and mouth movements captured in a video. The paper delves into the technological aspects employed in developing this HCI application, discussing face detection models, landmark detection models, head pose estimation models, and gaze estimation models.

The primary objective of this study revolves around creating an effective and accessible HCI application specifically designed to enhance the computing experience for individuals with disabilities.

By focusing on inclusivity and ease of use, this research aims to make computer usage a more accommodating and seamless experience for all users.

## II. LITERATURE SURVEY

The evolution of cursor control systems has witnessed significant advancements in recent years, catering to diverse user needs and technological innovations. Sujatha et al. (2021) introduced a "Virtual Mouse using Hand Gestures," providing users with a novel method to manipulate the computer cursor through hand-based point lines and gestures. Emphasizing the importance of hardware specifications like CPU speed, RAM size, and camera features, the system aims for enhanced reaction times. This system addresses the need for intuitive and efficient user-machine interactions. Moreover, the study by Sreedevi et al. (2020) delves into "Eyeball Movement based Cursor Control using Raspberry Pi and OpenCV," targeting individuals with disabilities. By enabling cursor control without manual intervention, this system is pivotal in enhancing accessibility. The paper advocates for future expansions to encompass functionalities compatible with mobile phones and tablets, expanding the reach of this technology to various platforms and user demographics. Singh et al. (2003) contributed to the field with their research on a "Robust Skin Color Based Face Detection Algorithm," exploring color spaces like RGB, YCbCr, and HSI. Their study amalgamated these color spaces to devise a more accurate face detection algorithm based on skin color. However, despite advancements, limitations persist in

Date of Submission: 12 Nov 2023

Date of Acceptance: 25 Dec 2023

Corresponding Author: LAKSHYA RATHI

(e-mail: 2003010129@ipeccollege.org.in)

achieving optimal results, signifying the scope for further improvements. Furthermore, Rowley et al. (1998) introduced a "Neural network-based face detection" system that employs a rationally connected neural network to identify frontal views of faces in grayscale images. While revolutionary at its time, the system primarily detects upright faces looking directly at the camera, presenting limitations regarding varied orientations. The reviewed literature highlights a trajectory of advancements in cursor control systems, focusing on diverse control mechanisms from hand gestures to eye movements and innovative face detection algorithms. These studies collectively emphasize the need for continued research to overcome limitations, expand functionalities, and enhance the inclusivity and precision of cursor control systems for broader user accessibility and improved performance.

### III. PROPOSED SYSTEM MODEL

Our proposed system model aims to provide an innovative solution for mouse cursor control, eliminating the need for manual manipulation through the utilization of facial gestures. This approach distinguishes itself by not requiring any wearable hardware or additional sensors, as it can seamlessly operate with a standard webcam or the built-in camera on a laptop. Users can perform various actions, such as activating applications by opening their mouth, toggling scroll mode on and off by squinting their eyes, and initiating click events through a wink of either eye. Furthermore, the system enables users to control cursor movement by adjusting the direction and movements of their face. This user-friendly and non-intrusive system enhances accessibility and usability by leveraging facial gestures for intuitive and hands-free computer interaction.

### IV. METHODOLOGY

In the described process, the methodology begins by utilizing a Face Detection Model to capture facial images from a video stream acquired from a camera or webcam. Following this, the Landmark Detection Model is employed to identify specific facial features such as the mouth, left and right eyes, and other facial attributes within the obtained facial image. Subsequently, the Head Pose Estimation Model is utilized to interpret head movements, correlating these movements with the motion of the computer mouse cursor. The precise orientation of the mouse cursor hinges on the combined outputs of both the Landmark Detection Model and the Head Pose Estimation Model, which are integrated through the Gaze Estimation Model. This particular model plays a crucial role in interpreting facial expressions to ensure accurate positioning of the mouse pointer on the screen. Its function is pivotal in deciphering the intentions behind facial movements, thereby facilitating the precise control of the mouse pointer on the computer interface.

**Facial Landmarks Prediction Model:** The system functions by utilizing facial recognition technology to identify and analyze particular facial areas, including the mouth, right eye, left eye, nose, and jaw.




Figure 1: Facial Landmark prediction model

These identified facial landmarks play a crucial role in enabling the system to recognize and respond to various facial movements such as mouth opening, eye squinting, and winking. By generating specific facial expressions as per the system's requirements, distinct features are activated, allowing the detection of eye blinks through Eye-Aspect-Ratio and mouth yawns through Mouth-Aspect-Ratio. These predefined actions are programmed using the PyAutoGUI module, enabling manipulation of the mouse cursor based on the recognized facial expressions and movements.






Figure 2: Facial expression and movements

**Eye Aspect Ratio [EAR]:** The Eye Aspect Ratio (EAR) serves as a metric to detect both eye blinks and winks. When the eye is closed, the EAR value decreases, falling below a predefined threshold. Conversely, an open eye corresponds to an EAR value surpassing the threshold.



**Figure 3: Eye aspect ratio representation**

Mouth Aspect Ratio [MAR]: The system is specifically designed to recognize the opening and closing movements of an individual's mouth. The Mouth Aspect Ratio (MAR) value increases when the mouth is open and decreases when it's closed. This proposed system amalgamates multiple modalities by combining measurements from both the MAR and EAR, enhancing the precision of facial gesture recognition.



**Figure 4: Mouth Aspect Ratio**

## V. CONCLUSION AND FUTURE SCOPE

Our research aims to optimize our software by prioritizing head movement as the key input for cursor control, striving for quicker response times to replace traditional mouse functionalities entirely. Beyond this, our objectives encompass the integration of advanced features such as voice recognition and text extraction for typing, along with capabilities for dragging, zooming in, and zooming out. The overarching plan involves crafting an interface applicable to real-life scenarios, particularly tailored to aid physically challenged users in operating a PC or laptop independently, utilizing their movements and facial expressions. This initiative seeks to empower individuals with disabilities to attain their technological objectives and reduce their reliance on external assistance for computer usage.

## VI. RESULTS

The principal aim of this project was to revolutionize the interaction between machines and human behavior. The focus

of the study was on developing a technology that is not only portable and cost-effective but also compatible with any standard operating system. The proposed system seeks to govern the mouse pointer by capturing facial features, specifically the positions of the eyes and nose. The pointer's movement will mirror the head movement, facilitating basic mouse actions like directional movement, left-clicking, right-clicking, and scrolling. Activation of the cursor occurs through mouth opening, and the pointer's motion is directed by gazing at the head. Clicking events are executed by winking the eyes, with a left-eye wink for left-clicking and a right-eye wink for right-clicking. Squinting activates scrolling, and the same action deactivates it. This comprehensive system integrates facial gestures seamlessly for efficient control of the mouse, enhancing user experience in a variety of computing tasks.

## REFERENCES

- [1] Shashidhar R et al. "Mouse Cursor Control Using Facial Movements -An HCL Application" 2022 International Conference on Sustainable Computing and Data Communication System (ICSCDS). IEEE, 2022.
- [2] Pavithra's et al. "Cursor Movement Control using Eyes and Facial Movements for Physically Challenged People." 2021 International Research Journal of Engineering and Technology (IRJET). e-ISSN: 2395-0056, p-ISSN: 2395-0072.
- [3] Satyanarayana B., et al. "Eyeball Movement based Cursor Control using Raspberry Pi and OpenCV." 2020 International Journal of Innovative Technology and Exploring Engineering (IJITEE). ISSN: 2278-3075.
- [4] Vasanthan M et al. "Face Expression Based computer cursor control system for assisting physically disabled person" ResearchGate Publications, COMNESAT 2012, IEEE 2012.
- [5] Shrunkhala Satish Wankhede, et al. "CONTROLLING MOUSE CURSOR USING EYE MOVEMENT." 2013 International Journal of Application or Innovation in Engineering & Management (IJAEM), ISSN 2319 – 4847 Special Issue for National Conference on Recent Advances in Technology and Management for Integrated Growth (RATMIG).
- [6] Margi Sadashiv Narayan, et al. " ENHANCED CURSOR CONTROL USING EYE MOUSE." Dec-30 2016 International Journal of Advances in Electronics and Computer Science, ISSN: 2393-2835.
- [7] Sovit Ranjan Rath, et al. "Machine Learning and Deep Learning, Face detection with Dlib using HOG and Linear SVM".
- [8] Hari Singh, Jaswinder Singh, "Real-time eye blink and wink detection for object selection in HCI", © Springer International Publishing AG, part of Springer Nature 2018.
- [9] K. Akhil Kumar, B R Ishwaryaa, Prasanna D V, Mrs. Shyamala.B, "VIRTUAL MOUSE USING EYE TRACKING", Journal of Xi'an University of Architecture & Technology, Volume XII, Issue IV, 2020.

[10] Vivek Shah, Prathamesh Punde, Saurabh Dubey, Prof. Bhakti Sonawane, "Mouse Pointer Control Using Eye Movements", Volume 6, Issue 4 JETIR April 2019 (ISSN-2349-5162).

[11] MadarBandu, Guguloth Bhargavi, Perumalla Kala, Rikkemi Tirupathi, "Facial Movements Based Mouse Cursor Control for Physically Disabled Individuals", Volume X Issue VII JULY 2021, Science, Technology and Development (ISSN: 0950-0707)