

Design and Implementation of a P2P File Sharing System Based on Bit Torrent Protocol

Akkshita, Aashana sahai, Anurag Barthwal, Anjali Singhal

Department of Computer Science and Engineering

Inderprastha Engineering College, Sahibabad, Ghaziabad, India

© The Author(s), under exclusive license to publication division, IPEC Journal of Science & Technology, 2023

Abstract: Peer-to-peer (P2P) file-sharing systems represent a significant departure from the conventional client-server model by embracing the principles of distributed systems. In the traditional client-server approach, a centralized server plays the pivotal role of managing data storage and processing user requests. However, this model exhibits inherent shortcomings. Central servers can become bottlenecks, limiting overall efficiency and scalability, and necessitating substantial infrastructure investments as user loads increase. Furthermore, central servers are susceptible to single points of failure, leading to service interruptions. P2P file sharing, in contrast, operates on the foundation of distributed systems, offering a host of advantages. By eliminating the central server, the system becomes decentralized, with each user's device serving as a node in the network. This decentralization not only eradicates single points of failure but also simplifies the scaling process, as additional users automatically contribute resources, ensuring continued efficiency with network growth. Data redundancy is enhanced in distributed systems, ensuring data availability even in the face of node failures. Users in P2P networks share both data and network resources, optimizing bandwidth utilization and fostering a culture of cooperation where downloaders also contribute by sharing parts of the files they acquire. Moreover, P2P networks, such as those employing the BitTorrent Protocol, optimize data transfer by enabling parallel downloads from multiple sources, thereby reducing download times. These systems provide users with a greater degree of autonomy and control over their data, as there is no central entity monitoring or regulating data flows. In summary, the embrace of distributed systems in P2P file sharing has revolutionized data exchange, introducing a more democratic, efficient, and resilient approach, where users collectively shape the network's performance and determine the direction of file sharing in the digital age.

Keywords: Peer-to-Peer, File Sharing System, BitTorrent Protocol, Distributed Networks

I. INTRODUCTION

Peer-to-peer (P2P) file-sharing systems have transformed how users share and access files over the internet. These systems have demonstrated a high potential for efficient information retrieval and sharing. The measurement study on music-sharing networks at Stanford University revealed interesting patterns in the behaviour of peer nodes. Most peer nodes tend to share a limited number of files, with a significant portion—27%—contributing nothing to the network, while 32% share over 100 files. Furthermore, the study highlighted that the files shared by peer nodes are often closely aligned with the users' preferences. This correlation emphasizes the importance of understanding user behaviour and preferences in designing and implementing P2P file-sharing systems.

The emergence of P2P file-sharing applications such as Napster and Gnutella revolutionized the way files are shared among users. Development of reliable file-sharing systems in P2P applications has been the focus of extensive research efforts. A key aspect of these research studies is to measure the efficiency of P2P systems to ensure that they can effectively handle the transfer and sharing of files. While some research focuses on searching for files within P2P networks, others concentrate on optimizing the file transfer process.

In addition to efficiency, scalability and failure tolerance are among the advantages of file sharing using P2P overlay networks. Recent studies have shown that as the number of peers in the network increases, the efficiency of file sharing also improves significantly.

Date of Submission: 2 Dec 2023

Date of Acceptance :23 Dec 2023

Corresponding Author: akkshita upadhyay

(e-mail: akkshita.upadhyay@gmail.com)




Figure 1: P2P Sharing Data

II. TECHNICAL ARCHITECTURE OF P2P FILE SHARING SYSTEM

The Torrent Tracker acts as a central server, managing seeders and ensuring data synchronization across trackers. The Tracker Database organizes file and sender info, backed by robust logging and error handling. The Torrent Client discreetly communicates with the Tracker via RPC, using Chunk Downloader for seamless chunk retrieval, ensuring an unobtrusive and reliable download process. Together, they facilitate P2P file sharing, with the Tracker overseeing a centralized database and the Client interacting for information and downloads, all while maintaining reliability through logging, error handling, and synchronization.

III. OBJECTIVE AND SCOPE OF THE P2P FILE SHARING SYSTEM

The central objective of our "P2P File Sharing System" is to design, develop, and implement a peer-to-peer (P2P) file sharing platform, utilizing the Bit Torrent protocol as its foundation. The scope of this project encompasses several core components and overarching goals:

Custom ".torrent" File Format Development: At the heart of our project is the creation of a custom file format known as ".torrent." This format extends the capabilities of conventional ".torrent" files by incorporating critical metadata such as tracker URLs, filenames, file sizes, and hash strings. By introducing this innovative format, our aim is to empower users with greater control over their shared content and enhance the overall efficiency of the file sharing process.

1. Torrent Tracker Implementation: A pivotal aspect of our project involves the development of a tailored tracker server. The tracker's primary role is to maintain an exhaustive list of peer machines hosting complete files or file fragments.

2. coordinating peer discovery and facilitating initial communication. With tracker functionality, we enhance the system's reliability and scalability.

3. Empowered Client Capabilities: Our client software, a fundamental component of the P2P File Sharing System, transcends the capabilities of traditional Bit Torrent clients. These client applications empower users by providing a suite of features, including parallel downloading from multiple peers, seamless peer discovery, and the maintenance of a persistent mapping of files and their associated ".torrent" files. These unique features elevate the overall user experience, making file sharing more efficient and user-friendly.

4. Innovation Potential: The development of the custom ".torrent" format and the associated system opens doors to innovation. It provides a flexible foundation upon which new features and functionalities can be built to address specific user needs and overcome limitations in existing P2P file sharing systems. This innovation potential positions our project as dynamic and forward thinking.

IV. NOVELTY OF THE P2P FILE SHARING SYSTEM

The "P2P File Sharing System" project distinguishes itself through several innovative aspects, setting it apart from traditional Bit Torrent implementations and other peer-to-peer (P2P) file sharing systems:

1. Metadata Enrichment: It incorporates essential metadata such as tracker URLs, filenames, file sizes, and hash strings. This innovative inclusion empowers users with greater control over shared content and significantly enhances the efficiency of the file sharing process.

2. Enhanced Tracker Functionality: Central to our project is the development of a custom tracker server, which offers advanced features not typically found in standard Bit Torrent trackers. This enhanced tracker functionality includes robust peer management, improved scalability, and support for additional custom metadata fields. Such innovation contributes to the reliability and efficiency of our P2P network.

3. Parallel Downloading: Users can perform parallel downloading from multiple peers simultaneously, which greatly enhances download speeds and improves overall reliability.

V. LITERATURE REVIEW

A thorough literature review is a crucial element of our "P2P File Sharing System" project. This review serves as the foundation for understanding the existing knowledge and research in the field of P2P file sharing, BitTorrent protocols, and related technologies. Here, we'll explore the importance of the literature review and its key components:

Content of the Literature Review: Our literature review should encompass a wide range of sources.

including academic papers, books, online resources, patents, and standards. The key components to include are:

1. Bit Torrent Protocol Overview: Provide a comprehensive overview of the Bit Torrent protocol, its history, and its core mechanisms. Explain how files are shared, how peers communicate, and how trackers function.
2. Custom Torrent File Formats: Review existing custom file formats or extensions to the standard ".torrent" format. Analyze how these formats have improved upon or extended Bit Torrent's capabilities.
3. P2P Networking Research: Explore academic research in P2P networking, focusing on topics such as peer discovery, data distribution, network optimization, and security. Identify relevant research papers and their contributions to the field.
4. Scalability and Performance: Review research on scalability and performance optimization in P2P systems. Identify strategies for handling large-scale file sharing and improving download speeds. By conducting a comprehensive literature review, our "P2P File Sharing System" project gains valuable insights and knowledge that inform our development process, inspire innovative solutions, and ensure that our system addresses real-world needs and challenges effectively.

VI. PROPOSED METHODOLOGY

The methodology for our "P2P File Sharing System" project outlines the approach and steps we will take to achieve our objectives effectively. It encompasses the design, development, testing, and deployment phases, ensuring a systematic and organized execution of the project. Here are the key elements of our proposed methodology:

1. Design Phase: • Custom ".torrent" Format Design: In this phase, we will design the custom ".torrent" file format, defining its structure, metadata fields, and encoding methods. This format will be the cornerstone of our file sharing system, enhancing metadata representation and flexibility. • Tracker Server Design: Concurrently, we will plan the architecture and functionalities of the tracker server. This includes designing the database schema for peer information, implementing efficient peer management, and optimizing for scalability.
2. Development Phase: • Custom ".torrent" Format Implementation: Our development team will code the custom ".torrent" file format, ensuring it meets the designed specifications. We will implement algorithms for creating, reading, and validating ".torrent" files. • Tracker Server Development: Simultaneously, the tracker server will be developed. This includes writing the server-side code, database integration, and implementing tracker APIs for peer registration and queries. • Client Software.

3. Development: The client software will be developed, incorporating features such as file sharing, peer discovery, parallel downloading, and persistent mapping. Platform specific versions (e.g., Windows, mac OS, Linux) will be created.
4. Testing and Quality Assurance: • Unit and Integration Testing: Comprehensive testing will be conducted at the unit and integration levels for each component, ensuring functionality, data integrity, and compatibility.
5. Deployment and Optimization: • Server Deployment: The tracker server will be deployed on dedicated servers with appropriate configurations to handle traffic efficiently. We will ensure high availability and reliability. • Client Software Distribution: The client software will be packaged and distributed for end-users to install and use. Our proposed methodology ensures a systematic approach to the development of the "P2P File Sharing System," from initial design to deployment. It emphasizes user-centric design, rigorous testing, and ongoing improvement to deliver a robust and user-friendly file sharing solution.

VII. LEGAL AND ETHICAL CONSIDERATIONS OF P2P NETWORKS

P2P networks have raised legal and ethical concerns due to the potential for copyright infringement and illegal distribution of intellectual property. While P2P file sharing has legitimate uses, such as sharing open-source software and public domain content, it has also been associated with piracy and unauthorized sharing of copyrighted material. The challenge for P2P systems lies in implementing measures to prevent illegal activities while maintaining the benefits of decentralized and efficient file sharing. Research efforts are being directed towards developing mechanisms for content authentication, digital rights management, and monitoring unauthorized activities within P2P networks.

VIII. CASE STUDY: THE IMPACT OF NAPSTER AND BITTORRENT

Napster:

Revolutionized Music Sharing: Napster, launched in 1999, allowed users to share music files freely, sparking a revolution in how people consumed music online. It utilized peer-to-peer (P2P) technology, enabling users to share MP3 files directly with each other.

Copyright Infringement Issues: The platform faced numerous legal battles due to copyright infringement claims by record labels and artists. In 2001, Napster was shut down after a court order. However, its impact on the music industry was profound, setting the stage for the digital distribution of music.

Bit Torrent:

Efficient File Sharing: Bit Torrent, developed by Bram Cohen in 2001, introduced a protocol that allowed for faster and more efficient distribution of large files.

ISSN: 2583-3286(Online)

It divided files into smaller chunks and allowed users to download these chunks from multiple sources simultaneously, reducing bandwidth strain on any single server.

Controversies and Legal Issues: Like Napster, BitTorrent faced legal challenges due to the widespread sharing of copyrighted material. While the technology itself is legal, its use for sharing copyrighted content without permission raised legal concerns and led to the shutdown of some prominent torrent-sharing websites.

Impact:

Shift in Distribution Models: Both Napster and BitTorrent forced industries to reconsider their distribution models. The music industry, for example, had to adapt to the digital age by introducing legal digital platforms like iTunes, Spotify, and others.

Copyright Awareness: These platforms heightened awareness of copyright issues and the challenges of digital content distribution in the internet era.

Technological Innovation: The technologies behind Napster and BitTorrent influenced future innovations in P2P sharing, leading to the development of new platforms and services.

IX. SECURITY RISK IN PEER-TO-PEER SYSTEMXII.

1. Malware Distribution: P2P networks can be hotspots for malware distribution, as files shared may contain viruses or malicious software.
2. Data Privacy Concerns: Users might inadvertently expose sensitive information if they share folders or files without appropriate access controls.
3. Illegal Content Sharing: P2P networks have been notorious for facilitating the sharing of copyrighted material without authorization, leading to legal issues.
4. Lack of Authenticity and Trust: Verifying the authenticity of files or sources can be challenging in P2P networks, leading to potential trust issues.

X. BEST PRACTICES FOR SAFE P2P FILE SHARING

1. Use of Reliable Platforms: Choosing reputable P2P platforms or software with built-in security measures and user validation.
2. Encryption and Security Measures: Employing encryption for file transfers to protect data privacy and using firewalls or antivirus software to mitigate malware risks.
3. Selective File Sharing: Being cautious about sharing sensitive files and using access controls to limit who can access shared content.

4. Regular Updates and Maintenance: Keeping P2P software updated to ensure the latest security patches and fixes are in place.

The Future of Peer-to-Peer Technology

1. Decentralization: Continued move towards decentralized systems, enhancing privacy and reducing dependency on centralized servers.
2. Block chain Integration: Integration with block chain technology for enhanced security and trust through immutable ledgers.
3. Improved Authentication Mechanisms: Development of more robust methods for verifying the authenticity of files and sources.
4. AI-driven Security Measures: Implementation of artificial intelligence for real-time monitoring and threat detection within P2P networks.

XI. CONCLUSION: THE ROLE OF P2P NETWORKS IN DIGITAL AGE

Peer-to-peer (P2P) networks have remained pivotal in shaping the digital landscape, offering both opportunities and challenges. Throughout this study, it has become evident that:

1. Efficient Data Distribution: P2P networks have revolutionized data sharing by enabling efficient distribution among users, reducing reliance on centralized servers, and fostering collaborative environments.
2. Challenges and Risks: However, the proliferation of P2P systems has also introduced security risks, including malware distribution, privacy concerns, and issues surrounding unauthorized content sharing, necessitating stringent security measures.
3. Adaptability and Evolution: Despite these challenges, the adaptability and evolution of P2P technology continue to play a crucial role. From its early days of file sharing to its potential integration with emerging technologies like blockchain, P2P networks exhibit resilience and innovation.
4. Balancing Utility and Security: Moving forward, striking a balance between leveraging the utility of P2P networks for rapid and widespread information dissemination while implementing robust security measures remains imperative.
5. Prospects: The future of P2P technology holds

promise. As it continues to evolve, advancements in decentralization block chain integration, AI-driven security measures, and enhanced authentication mechanisms may redefine its role in the digital age.

REFERENCES

- [1] B. Rieder, *Engines of Order: A Mechanology of Algorithmic Techniques*. Amsterdam, Netherlands: Amsterdam Univ. Press, 2020.
- [2] Kademlia: A Peer-to-peer Information System Based on the XOR Metric Authors: Petar Maymounkov, David Mazières ,vol. 34, no. 3, pp. 262–284, May 2016, doi: 10.4208/jcm.1512-m2015-0241.
- [3] Chord: A Scalable Peer-to-peer Lookup Protocol for Internet Applications Authors: Ion Stoica, Robert Morris, David Karger, M. Frans Kaashoek, Hari Bala krishnan
- [4] Y. Zhang, Z. Qin, T. Zhong, M. Guo, X. Luo, "A Taxonomy for Denial-of-Service Attacks in P2P Systems"
- [5] Stefan Saroiu, P. Krishna Gummadi, Steven D. Gribble, "A Survey of Peer-to-Peer Content Distribution Technologies"
- [6] Larry L. Peterson, Bruce S. Davie "Computer Networks: A Systems Approach"
- [7] Stefanos Gritzalis, Massimo Marchiori "The Gnutella Protocol Specification v0.6 Security in Peer-to-Peer Systems: An Overview".
- [8] I. Boglaev, "A numerical method for solving nonlinear integro-differential equations of Fredholm type," J. Comput. Math., vol. 34, no. 3, pp. 262–284, May 2016, doi: 10.4208/jcm.1512-m2015-0241.
- [9] B. Rieder, *Engines of Order: A Mechanology of Algorithmic Techniques*. Amsterdam, Netherlands: Amsterdam Univ. Press, 2020.
- [10] I. Boglaev, "A numerical method for solving nonlinear integro-differential equations of Fredholm type," J. Comput. Math., vol. 34, no. 3, pp. 262–284, May 2016, doi: 10.4208/jcm.1512-m2015-024

